

# IRON AND STEEL PRODUCTS

NO.	HS CODE			PRODUCT DESCRIPTION	COA ISSUANCE ORGANIZATION
<b>7207</b>				<b>Semi-finished products of iron or non-alloy steel</b>	
- Containing by weight less than 0.25% of carbon:					
<b>720711</b>				<b>-- Of rectangular (including square) cross-section, the width measuring less than twice the thickness:</b>	
1	7207	11	900	Other	SIRIM
<b>720719</b>				<b>-- Other:</b>	
2	7207	19	900	Other	SIRIM
<b>720720</b> - Containing by weight 0.25% or more of carbon:					
3	7207	20	910	containing by weight 0.6 % or more of carbon	SIRIM
4	7207	20	990	other	SIRIM
<b>7208</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated</b>	
5	7208	10	000	- In coils, not further worked than hot-rolled, with patterns in relief	SIRIM
6	7208	25	000	-- Of a thickness of 4.75 mm or more	SIRIM
7	7208	26	000	-- Of a thickness of 3 mm or more but less than 4.75 mm	SIRIM
8	7208	27	000	-- Of a thickness of less than 3 mm	SIRIM
9	7208	36	000	-- Of a thickness exceeding 10 mm	SIRIM
10	7208	37	000	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	SIRIM
11	7208	38	000	-- Of a thickness of 3mm or more but less than 4.75 mm	SIRIM
<b>720839</b> -- Of a thickness of less than 3 mm:					
12	7208	39	100	Containing by weight 0.6 % or more of carbon	SIRIM
13	7208	39	990	other	SIRIM
14	7208	40	000	- Not in coils, not further worked than hot-rolled, with patterns in relief	SIRIM
15	7208	51	000	-- Of a thickness exceeding 10 mm	SIRIM
16	7208	52	000	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	SIRIM
17	7208	53	000	-- Of a thickness of 3 mm or more but less than 4.75 mm	SIRIM
<b>720854</b> -- Of a thickness of less than 3 mm:					
18	7208	54	100	Containing by weight 0.6 % or more of carbon	SIRIM
19	7208	54	990	other	SIRIM
<b>7209</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated</b>	
- In coils, not further worked than cold-rolled (cold-reduced):					
20	7209	15	000	-- Of a thickness of 3 mm or more	SIRIM
21	7209	16	000	-- Of a thickness exceeding 1 mm but less than 3 mm	SIRIM
22	7209	17	000	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	SIRIM

SIRIM QAS INTERNATIONAL SDN. BHD.

Issue: 1 Rev: 2

Effective Date: 1 November 2012

<b>720918</b>				<b>-- Of a thickness of less than 0.5 mm:</b>	
23	7209	18	990	Other	SIRIM
				<b>- Not in coils, not further worked than cold-rolled (cold-reduced):</b>	
24	7209	25	000	-- Of a thickness of 3 mm or more	SIRIM
25	7209	26	000	-- Of a thickness exceeding 1mm but less than 3 mm	SIRIM
26	7209	27	000	-- Of a thickness of 0.5 mm or more but not exceeding 1 mm	SIRIM
<b>720928</b>				<b>- Of a thickness of less than 0.5 mm:</b>	
27	7209	28	990	other	SIRIM
<b>7210</b>				<b>Flat rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated</b>	
				<b>- Plated or coated with tin:</b>	
<b>721030</b>				<b>- Electrolytically plated or coated with zinc:</b>	
28	7210	30	910	1.5 mm or less in thickness	SIRIM
29	7210	30	920	more than 1.5 mm but less than 3 mm in thickness	SIRIM
<b>721041</b>				<b>-- Corrugated:</b>	
30	7210	41	910	1.5 mm or less in thickness	SIRIM
<b>721049</b>				<b>-- Other:</b>	
31	7210	49	910	1.5 mm or less in thickness	SIRIM
32	7210	49	990	other	SIRIM
<b>721061</b>				<b>-- Plated or coated with aluminium-zinc alloys:</b>	
				<b>Corrugated:</b>	
33	7210	61	210	1.5 mm or less in thickness	SIRIM
34	7210	61	220	more than 1.5 mm in thickness	SIRIM
35	7210	61	921	1.5 mm or less in thickness	SIRIM
36	7210	61	922	more than 1.5 mm in thickness	SIRIM
<b>721070</b>				<b>- Painted, varnished or coated with plastics:</b>	
37	7210	70	910	1.5 mm or less in thickness	SIRIM
38	7210	70	920	more than 1.5 mm in thickness	SIRIM
<b>7211</b>				<b>Flat rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated</b>	
				<b>- Not further worked than hot rolled:</b>	
<b>721113</b>				<b>-- Rolled on four faces or in a close box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief:</b>	
39	7211	13	910	universal plates	SIRIM
40	7211	13	921	exceeding 150 mm but not exceeding 400 mm in width	SIRIM
41	7211	13	929	other	SIRIM
<b>721114</b>				<b>-- Other, of thickness of 4.75 mm or more:</b>	
42	7211	14	910	universal plates	SIRIM
43	7211	14	921	not exceeding 25 mm in width	SIRIM
44	7211	14	922	exceeding 25 mm but not exceeding 400 mm in width	SIRIM
45	7211	14	929	other	SIRIM

46	7211	14	930	coils for re-rolling	SIRIM
47	7211	14	990	other	SIRIM
<b>721119</b>				<b>-- Other:</b>	
				<b>Containing by weight 0.6% or more of carbon:</b>	
				<b>Hoop and strip:</b>	
48	7211	19	911	not exceeding 25 mm in width	SIRIM
49	7211	19	912	exceeding 25 mm but not exceeding 400 mm in width	SIRIM
50	7211	19	919	other	SIRIM
51	7211	19	920	coils for re-rolling	SIRIM
52	7211	19	991	of a thickness of 0.17 mm or less	SIRIM
53	7211	19	999	other	SIRIM
				<b>- Not further worked than cold-rolled (cold-reduced):</b>	
<b>721123</b>				<b>-- Containing by weight less than 0.25% of carbon:</b>	
				<b>Hoop and strip:</b>	
54	7211	23	110	not exceeding 25 mm in width	SIRIM
55	7211	23	120	exceeding 25 mm but not more than 400 mm in width	SIRIM
56	7211	23	190	other	SIRIM
57	7211	23	910	of a thickness of 0.17 mm or less	SIRIM
58	7211	23	990	other	SIRIM
<b>721129</b>				<b>-- Other:</b>	
				<b>Containing by weight 0.25% or more but less than 0.6% of carbon:</b>	
				<b>Hoop and strip:</b>	
59	7211	29	111	not exceeding 25 mm in width	SIRIM
60	7211	29	112	exceeding 25 mm but not exceeding 400 mm in width	SIRIM
61	7211	29	119	other	SIRIM
62	7211	29	191	of a thickness of 0.17 mm or less	SIRIM
63	7211	29	199	other	SIRIM
64	7211	29	211	not exceeding 25 mm in width	SIRIM
65	7211	29	212	exceeding 25 mm but not exceeding 400 mm in width	SIRIM
66	7211	29	219	other	SIRIM
67	7211	29	290	other	SIRIM
<b>7212</b>				<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated</b>	
<b>721220</b>				<b>- Electrolytically plated or coated with zinc:</b>	
68	7212	20	911	not exceeding 25 mm in width	SIRIM
69	7212	20	912	exceeding 25 mm but not exceeding 400 mm in width	SIRIM
70	7212	20	919	other	SIRIM
71	7212	20	991	1.5 mm or less in thickness	SIRIM
72	7212	20	999	other	SIRIM
<b>721230</b>				<b>- Otherwise plated or coated with zinc:</b>	
73	7212	30	911	not exceeding 25 mm in width	SIRIM
74	7212	30	912	exceeding 25 mm but not more than 400 mm in width	SIRIM

75	7212	30	919	other	SIRIM
76	7212	30	991	1.5 mm or less in thickness	SIRIM
77	7212	30	999	other	SIRIM
<b>721240</b>				<b>- Painted, varnished or coated with plastics:</b>	
78	7212	40	911	not exceeding 25 mm in width	SIRIM
79	7212	40	912	exceeding 25 mm but not exceeding 400 mm in width	SIRIM
80	7212	40	919	other	SIRIM
81	7212	40	991	1.5 mm or less in thickness	SIRIM
82	7212	40	992	more than 1.5 mm in thickness	SIRIM
<b>721250</b>				<b>- Otherwise plated or coated:</b>	
83	7212	50	911	not exceeding 25 mm in width	SIRIM
84	7212	50	912	exceeding 25 mm but not more than 400 mm in width	SIRIM
85	7212	50	919	other	SIRIM
86	7212	50	991	1.5 mm or less in thickness	SIRIM
87	7212	50	992	more than 1.5 mm in thickness	SIRIM
<b>7213</b>				<b>Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel</b>	
88	7213	10	000	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	CIDB
89	7213	20	000	- Other, of free-cutting steel	SIRIM
90	7213	91	000	-- Of circular cross section measuring less than 14 mm in diameter	SIRIM / CIDB*
91	7213	99	000	-- Other	SIRIM / CIDB*
<b>7214</b>				<b>Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling</b>	
<b>92</b>				<b>- Forged:</b>	
92	7214	10	110	round	SIRIM
93	7214	10	910	round	CIDB
94	7214	10	990	other	SIRIM
<b>721420</b>				<b>-Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:</b>	
95	7214	20	110	round	CIDB
96	7214	20	910	round	CIDB
<b>721430</b>				<b>- Of free-cutting steel:</b>	
97	7214	30	100	Round	SIRIM
<b>721499</b>				<b>-- Other:</b>	
98	7214	99	110	round	SIRIM
99	7214	99	910	round	SIRIM
<b>7215</b>				<b>Other bars and rods of iron or non-alloy steel</b>	
<b>721510</b>				<b>- Of free-cutting steel, not further worked than cold-formed or cold-finished:</b>	
100	7215	10	100	Round	SIRIM
<b>721550</b>				<b>- Other, not further worked than cold-formed or cold-finished:</b>	
101	7215	50	110	round	CIDB

102	7215	50	910	round	CIDB
<b>721590</b>				<b>- Other:</b>	
103	7215	90	100	Round	CIDB
<b>7216</b>				<b>Angles, shapes and sections of iron or non-alloy steel</b>	
<b>721610</b>				<b>- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of height of less than 80 mm:</b>	
104	7216	10	100	of a thickness of 5 mm or less	CIDB
105	7216	10	900	other	CIDB
				<b>- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of height of less than 80 mm:</b>	
<b>721621</b>				<b>-- L sections:</b>	
106	7216	21	900	Other	CIDB
<b>721622</b>				<b>-- T sections:</b>	
107	7216	22	100	of a thickness of 5 mm or less	CIDB
108	7216	22	900	other	CIDB
				<b>- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of height of 80 mm or more:</b>	
<b>721631</b>				<b>-- U sections:</b>	
109	7216	31	100	of a thickness 5 mm or less	CIDB
110	7216	31	900	other	CIDB
<b>721632</b>				<b>-- I sections:</b>	
111	7216	32	100	of a thickness of 5 mm or less	CIDB
112	7216	32	900	other	CIDB
<b>721633</b>				<b>-- H sections:</b>	
113	7216	33	100	Containing by weight 0.6 % or more carbon	CIDB
114	7216	33	911	thickness of web of 9 mm and above	CIDB
115	7216	33	919	other	CIDB
<b>721640</b>				<b>- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of height of 80 mm or more:</b>	
116	7216	40	100	L section	CIDB
117	7216	40	910	of a thickness of 5 mm or less	CIDB
118	7216	40	990	other, T sections	CIDB
<b>721650</b>				<b>- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:</b>	
				<b>Angles, other than slotted angles:</b>	
119	7216	50	191	of a height of 80 mm or more	CIDB
120	7216	50	192	of a height of less than 80 mm	CIDB
121	7216	50	211	of a thickness of 5 mm or less	CIDB
122	7216	50	219	other	CIDB
123	7216	50	221	of a thickness of 5 mm or less	CIDB
124	7216	50	229	other	CIDB
				<b>- Angles, shapes and sections, not further worked than cold-formed or cold-finished:</b>	
<b>721661</b>				<b>-- Obtained from flat-rolled products:</b>	

				<b>Angles, other than slotted angles:</b>	
125	7216	61	191	of a height of 80mm or more	CIDB
126	7216	61	192	of a height of less than 80 mm	CIDB
127	7216	61	211	of a thickness of 5 mm or less	CIDB
128	7216	61	219	other, shapes and sections	CIDB
<b>721669</b>				<b>-- Other:</b>	
				<b>Angles, other than slotted angles:</b>	
129	7216	69	211	of a thickness of 5 mm or less	CIDB
130	7216	69	219	other, shapes and sections	CIDB
<b>7217</b>				<b>Wire of iron and non-alloy steel</b>	
131	7217	10	000	- Not plated or coated, whether or not polished	SIRIM
132	7217	20	000	- Plated or coated with zinc	SIRIM
133	7217	30	000	- Plated or coated with other base metals	SIRIM
134	7217	90	000	- Other	CIDB
<b>7222</b>				<b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel</b>	
<b>722220</b>				<b>- Bars and rods, not further worked than cold-formed or cold-finished:</b>	
135	7222	20	100	Round	SIRIM
<b>722230</b>				<b>- Other bars and rods:</b>	
136	7222	30	100	Round	SIRIM
<b>7228</b>				<b>Other bars and rods of alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel</b>	
<b>722870</b>				<b>- Angles, shapes and sections:</b>	
137	7228	70	110	of a height of 80 mm or more	CIDB
138	7228	70	120	of a height of less than 80 mm	CIDB
139	7228	70	211	of a thickness of 5 mm or less	CIDB
<b>7229</b>				<b>Wire of other alloy steel</b>	
<b>722920</b>				<b>- Of silico-manganese steel:</b>	
140	7229	20	900	Other	CIDB
<b>7301</b>				<b>Sheet piling of iron and steel, whether or not drilled, punched or made from assembled elements, welded angles, shapes and sections, of iron or steel</b>	
141	7301	10	000	- Sheet piling	CIDB
142	7301	20	000	- Angles, shapes and sections	CIDB
<b>7302</b>				<b>Railway or tramway track construction material of iron or steel</b>	
143	7302	10	000	- Rails	SIRIM / CIDB**
144	7302	90	100	Sleepers (cross-ties)	CIDB
<b>7303</b>				<b>Tubes, pipes and hollow profiles of cast iron</b>	
145	7303	00	000	Tubes, pipes and hollow profiles, of cast iron.	CIDB
<b>7304</b>				<b>Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel</b>	
				<b>- Line pipe of a kind used for oil or gas pipelines:</b>	
146	7304	11	000	-- Of stainless steel	SIRIM / CIDB***
147	7304	19	000	-- Other	SIRIM / CIDB***
148	7304	22	000	-- Drill pipe of stainless steel	SIRIM / CIDB***

SIRIM QAS INTERNATIONAL SDN. BHD.

Issue: 1 Rev: 2

Effective Date: 1 November 2012

149	7304	23	000	-- Other drill pipe	SIRIM / CIDB***
150	7304	24	000	-- Other, of stainless steel	SIRIM / CIDB***
151	7304	29	000	-- Other	SIRIM / CIDB***
				<b>- Other, of circular cross-section, of iron or non-alloy steel:</b>	
<b>730431</b>				<b>-- Cold-drawn or cold-rolled (cold-reduced):</b>	
152	7304	31	100	High pressure hydro-electric conduits	SIRIM
153	7304	31	900	Other	SIRIM
<b>730439</b>				<b>-- Other:</b>	
154	7304	39	100	High pressure hydro-electric conduits	SIRIM
155	7304	39	900	Other	SIRIM
				<b>- Other, of circular cross-section, of stainless steel:</b>	
<b>730441</b>				<b>-- Cold-drawn or cold-rolled (cold-reduced):</b>	
156	7304	41	100	High pressure hydro-electric conduits	SIRIM
157	7304	41	900	Other	SIRIM
<b>730449</b>				<b>-- Other:</b>	
158	7304	49	100	High pressure hydro-electric conduits	SIRIM
159	7304	49	900	Other	SIRIM
				<b>- Other, of circular cross-section, of other alloy steel:</b>	
<b>730451</b>				<b>-- Cold-drawn or cold-rolled (cold-reduced):</b>	
160	7304	51	100	High pressure hydro-electric conduits	SIRIM
161	7304	51	900	Other	SIRIM
<b>730459</b>				<b>-- Other:</b>	
162	7304	59	100	High pressure hydro-electric conduits	SIRIM
163	7304	59	900	Other	SIRIM
<b>730490</b>				<b>- Other:</b>	
164	7304	90	100	High pressure hydro-electric conduits	SIRIM
<b>7305</b>				<b>Other tubes and pipes (e.g. welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4 mm, of iron or steel</b>	
165	7305	11	000	-- Longitudinally submerged arc welded	CIDB
166	7305	12	000	-- Other, longitudinally welded	CIDB
167	7305	19	000	-- Other	CIDB
168	7305	20	000	- Casing of a kind used in drilling for oil or gas	CIDB
169	7305	31	000	-- Longitudinally welded	SIRIM
170	7305	39	000	-- Other	CIDB
171	7305	90	000	- Other	CIDB
<b>7306</b>				<b>Other tubes, pipes and hollow profiles (e.g. open seam or welded, riveted or similarly closed), of iron or steel</b>	
172	7306	11	000	-- Welded, of stainless steel	SIRIM
173	7306	19	000	-- Other	SIRIM
174	7306	21	000	-- Welded, of stainless steel	SIRIM
175	7306	30	000	- Other, welded, of circular cross section, of iron or non-alloy steel	SIRIM

176	7306	40	000	- Other, welded, of circular cross-section, of stainless steel	SIRIM
177	7306	50	000	- Other, welded, of circular cross-section, of other alloy steel	SIRIM
178	7306	61	000	- - Of square or rectangular cross-section	SIRIM
179	7306	69	000	- - Of other non-circular cross-section	SIRIM
180	7306	90	000	- Other	SIRIM
<b>7308</b>				<b>Structures (Bridges, towers, doors, windows, scaffoldings)</b>	
<b>730840</b>				<b>- Equipment for scaffolding, shuttering, propping or pit-propping:</b>	
181	7308	40	900	Other	CIDB
<b>7312</b>				<b>Stranded wire, ropes, cables, plaited, bands, slings and the like, of iron or steel, not electrically insulated</b>	
182	7312	10	000	- Stranded wire, ropes and cables	CIDB
183	7312	90	000	- Other	CIDB
<b>7314</b>				<b>Cloth (including endless bands), grill, netting and fencing, expanded metal of iron or steel</b>	
184	7314	20	000	- Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm <sup>2</sup> or more	CIDB
185	7314	50	000	- Expanded metal	CIDB
<b>7325</b>				<b>Other cast articles of iron and steel</b>	
<b>732510</b>				<b>- Of non-malleable cast iron:</b>	
186	7325	10	100	Manhole covers, gratings and frames thereof	CIDB
<b>732599</b>				<b>-- Other:</b>	
187	7325	99	100	Manhole covers, gratings and frames thereof	CIDB

**Note:**

- \* 7213 91 000 & 7213 99 000 :
  - Steel Wire Rod = COA application to SIRIM
  - Steel Wire Rod for Wire Mesh and PC Strand = COA application to CIDB
- \*\* 7302 10 000 :
  - Construction Steel Rails = COA application to CIDB
  - Other purpose of rails = COA application to SIRIM
- \*\*\* 7304 11 000, 7304 19 000, 7304 22 000, 7304 23 000, 7304 24 000 & 7304 29 000 :
  - Oil & Gas purpose = COA application to CIDB
  - Other purpose = COA application to SIRIM



## ALUMINIUM PRODUCTS

NO.	HS CODE			PRODUCT DESCRIPTION	COA ISSUANCE ORGANIZATION
<b>7606</b>				<b>- Rectangular including square</b>	
1	7606	11	000	- Of aluminium, not alloyed	SIRIM
2	7606	12	000	- Of aluminium alloys	SIRIM
3	7606	91	000	- Of aluminium, not alloyed	SIRIM
4	7606	92	000	- Of aluminium alloys	SIRIM
<b>7607</b>				<b>Aluminium foil (whether or not printed backed with paper, paperboard, Plastic or similar backing materials) of : thickness (excluding any backing) Not exceeding 0.2mm</b>	
5	7607	11	000	- Rolled but no further worked	SIRIM
6	7607	19	000	- Other	SIRIM